

LYME DISEASE REPORTING FORM

			FOR HEAL	FOR HEALTH UNIT USE ONLY			
			IPHIS CAS	E ID:	IPHIS CLIENT	ID:	
REPORTING SOURC	E						
Name:	lame: Report Date (y/m/d):			Time:			
Agency:	Phone #:			Fax #:			
CLIENT INFORMATION	N						
Last Name:		First Name:			Gender:		
DOB (y/m/d):): Phone #:				Cell #:		
Address:	City:				Postal Code:		
Name of Parent/Guardian (if minor):							
Occupation:							
HEALTH CARE PROVIDE	Phon	Phone #:			Fax #:		
RISK FACTORS (Check all that apply)							
History of tick bite: YES	NO	Date (y/m/d)	:				
If YES , where was the c	client most likely exposed	d (specify exact	geographi	cal location):			
Was the client given prophylactic medication after tick bite: YES NO Date (y/m/d):							
If NO history of tick bite	has client had possible	exposure to tic	ks in the las	t 30 days durin	a outdoor activities	sin	
If NO history of tick bite, has client had possible exposure to ticks in the last 30 days during outdoor activities in wooded areas, either through work or recreation: YES NO Date (y/m/d):							
wooded dreds, eimer i	initiough work of recreating	011.	TL3	NO	Dule (y/m/uj.		
If YES , specify exact ge	eographical location:						
CASE DETAILS							
Onset date of symptoms (y/m/d): Date of Diagnosis (y/m/d):							
Diagnosis of early localized disease (less than 30 days from ex			posure):	YES	NO check all	that apply:	
A							
Arthralgia	Headache	Fever		Malaise			
Myalgia	Neck Stiffness	Fatigue	Fatigue		Erythema migrans (EM) > to 5cm in		
Diagnosis of early disseminated disease (weeks to months, after exposure):diameterYES NO check all that apply:							
Multiple EM	tiple EM Cranial Nerve Palsies Lym		nocytic Me	ningitis	Conjunctivitis	Arthralgia	
Myalgia	Headache	Fatigue			Carditis (heart bloc	ck)	
Diagnosis of late disea	se (weeks to years after	exposure):		YES	NO check	all that apply:	
_							
Arrhythmias	Myopericarditis	Carditis (heart block) Peripheral Neuropathy Meningitis					
Fatigue	FatigueEncephalopathy (i.e. Behaviour changes, sleep disturbance, headaches)						
Recurrent arthritis	affecting large joints (i.e	e. knees)					
LABORATORY TESTING							
Testing is not necessary in the early localized disease phase. Diagnostic serological testing is indicated in people							
who have symptoms of early or late disseminated disease (ELISA followed by Western Blot)							
Was serological testing			SA IONOWEL	r by western b			
Tras scrological resiling			NO	I	Date (v/m/d):		
	g done YES		NO YES	NO	Date (y/m/d):		

Information collected on this form is collected under the authority of the Health Protection and Promotion Act and is used to investigate cases of Sexually Transmitted Infections, and for statistical purposes. Personal Health Information is collected, used, stored, and shared under the Personal Health Information Protection Act and the Municipal Freedom of Information and Protection Act.